DOUGHANTA ADDRESSA

15

What is claimed is:

- 1. A method of producing a color filter, which comprises forming pixels on a transparent substrate using a colored composition containing (a) an amino resin having a carboxyl group and/or a phenolic hydroxyl group and (b) a coloring material by an ink-jet printing method, followed by curing the pixels.
- 2. The method of producing a color filter according to claim
 1, wherein the amino resin (a) having a carboxyl group and/or
 a phenolic hydroxyl group is an amino resin obtained by
 condensing (a-1) (4,6-diamino-1,3,5-triazin-2-yl)benzoic acid
 with (a-2) at least one aldehyde compound selected from the
 group consisting of formaldehyde, glyoxylic acid,
 succinsemialdehyde, and hydroxybenzaldehyde.
- 3. The method of producing a color filter according to claim 1, wherein the amino resin (a) having a carboxyl group and/or a phenolic hydroxyl group is an amino resin obtained by condensing (a-3) at least one triazine compound selected from the group consisting of melamine, benzoguanamine, and (4,6-diamino-1,3,5-triazin-2-yl)benzoic acid with (a-4) at least one aldehyde compound selected from the group consisting of glyoxylic acid, succinsemialdehyde, and hydroxybenzaldehyde.
- 25
- 4. The method of producing a color filter according to claim
- 1, wherein the pixels are thermosetted.

20

5

- The method of producing a color filter according to claim
 , wherein the colored composition further contains (c) a compound having a photopolymerizable functional group.
- 6. The method of producing a color filter according to claim 5, wherein the amino resin (a) having a carboxyl group and/or a phenolic hydroxyl group is an amino resin obtained by condensing (a-1) (4,6-diamino-1,3,5-triazin-2-yl)benzoic acid with (a-2) at least one aldehyde compound selected from the group consisting of formaldehyde, glyoxylic acid, succinsemialdehyde, and hydroxybenzaldehyde.
- 7. The method of producing a color filter according to claim 5, wherein said amino resin (a) having a carboxyl group and/or a phenolic hydroxyl group is an amino resin obtained by condensing (a-3) at least one triazine compound selected from the group consisting of melamine, benzoguanamine, and (4,6-diamino-1,3,5-triazin-2-yl)benzoic acid with (a-4) at least one aldehyde compound selected from the group consisting of glyoxylic acid, succinsemialdehyde, and hydroxybenzaldehyde.
- The method of producing a color filter according to claim
 , wherein the pixels are thermosetted after
- 25 photopolymerization.